

Drawing holder

The practical tool

- » Ideal
- » Versatile
- » Sturdy
- » Reliable




Ideal for quickly and reliably hanging up and removing technical drawings, architectural drawings, posters, board information etc.

Can be used in workshops, technical offices, administration, communication areas, school and training

High-tech, sturdy design in timeless aluminium- / steel materials for highly stressed areas

The reliable holding system ensures the smooth insertion and removal of sheets without annoying jamming or tearing



Price list TEKUSA drawing holder

a) Drawing holder type TZW and TZWA for wall attachment




Type TZW (illustration shows 100 cm wall rail)

Wall rail without trigger

This model allows for the perpendicular insertion of several individual sheets and the removal of the same by pulling horizontally.

Rail lengths: 50 / 75 / 100 / 150 cm

Intermediate lengths on request (surcharge)



Type TZWA (illustration shows 100 cm wall rail)

Wall rail with trigger (see technical information and details)

The central triggering mechanism allows for the release of the holder rollers on the entire rail length. This model is preferably used for large-sized plans and drawings.

Rail lengths: 25 / 50 / 75 / 100 cm

a) Drawing holder type TZW for wall attachment without a trigger

<i>Rail length</i>	<i>Article number</i>	<i>Price CHF (per piece)</i>
25 cm	401 025	28.50
50 cm	401 050	37.00
75 cm	401 075	49.00
100 cm	401 100	63.00
150 cm	401 150	84.50

Other lengths available on request

a) Drawing holder type TZWA for wall attachment with a trigger

<i>Rail length</i>	<i>Article number</i>	<i>Price CHF (per piece)</i>
25 cm	400 025	32.50
50 cm	400 050	45.50
75 cm	400 075	59.00
100 cm	400 100	80.50

Other lengths available on request

<i>Attachment versions for type TZW and TZWA (on request)</i>	<i>Price CHF (per piece)</i>
Rail with drill holes including screws /dowel set	5.00
Rail with double-sided adhesive tape (self-adhesive)	5.00


b) Drawing holder type TZA free-standing attachment

The complete set for free-standing attachments on workbenches, installation areas, work tables etc.

This drawing holder type includes:


- profile rail with trigger
- top rail clamp holder KSK (connection of rail /standing tube)
- standing tube with base type at your own choice

Various angled, spindle, screw-on and clamping bases allow for an optimally adjusted assembly.



Type TZA

illustration: Profile rail 100 cm / top clamp holder KSK / standing tube 90 cm / base K



Type TZA

illustration: Profile rail 50 cm / top clamp holder KSK / standing tube 70 cm / base K
Version: Additional clamp holder KSK with profile rail 25 cm

Rail lengths type TZA

25 cm = max. format A4

50 cm = max. format A2

75 cm = max. format A1


100 cm = max. format A0

Standing pipes (plasticized steel tube) type TZA

70 cm = Pipe length for rails to 75 cm

90 cm = Pipe length for rails to 100 cm

Base versions



Base A
Screw-on holder
for table tops

Base C
Stripping angle
for lateral
attachments

Base E
Star handle for
wood inlays (max.
25mm)

Base F
Holder for tool
plate edge
(max. 6 mm)

Base K
Spindle holder for
table tops (max.
60 mm)

Price list TEKUSA drawing holder


b) Drawing holder type TZA for free-standing attachment

Rail with a trigger, KSK clamp holder, standing tube and base

<i>Article number</i>	<i>Rail length</i>	<i>Pipe length</i>	<i>Base</i>	<i>Price CHF (per pc.) (Complete set)</i>
402 025	25 cm	50 cm	A	84.00
402 026	25 cm	50 cm	C	84.00
402 027	25 cm	50 cm	E	89.50
402 028	25 cm	50 cm	F	89.50
402 029	25 cm	50 cm	K	89.50
402 050	50 cm	70 cm	A	104.50
402 051	50 cm	70 cm	C	104.50
402 052	50 cm	70 cm	E	109.00
402 053	50 cm	70 cm	F	109.00
402 054	50 cm	70 cm	K	109.00
402 075	75 cm	70 cm	A	110.50
402 076	75 cm	70 cm	C	110.50
402 077	75 cm	70 cm	E	117.00
402 078	75 cm	70 cm	F	117.00
402 079	75 cm	70 cm	K	117.00
402 100	100 cm	90 cm	A	124.50
402 101	100 cm	90 cm	C	124.50
402 102	100 cm	90 cm	E	131.00
402 103	100 cm	90 cm	F	131.00
402 104	100 cm	90 cm	K	131.00

Price list TEKUSA drawing holder

c) Drawing stand type TZSTT table version with a movable 2.5 kg casting base The small mobile version



Type TZSTT

Rail lengths 50 / 75 / 100 cm (profile rail with trigger) and upper KSK clamp holder
Pipe lengths 70 cm (for rails 50 or 75 cm) or 90 cm (for rail 100 cm)

Versions:

- a) Additional KSK clamp holder with additional profile rail at your own choice
- b) Top KSK 2 clamp holder for double-sided profile rails (e.g. opposite work areas or to turn the object)

c) Drawing stand type TZSTT table version

Rail with a trigger, KSK clamp holder, standing tube and 2.5 kg casting base

Article number	Rail length	Standing tube	Price CHF (per pc.) (Complete set)
404 001	50 cm	70 cm	121.00
404 002	50 cm (Double rail)	70 cm	157.50
404 003	75 cm	70 cm	132.50
404 004	75 cm (Double rail)	70 cm	184.00
404 005	100 cm	90 cm	146.00

Price list TEKUSA drawing holder

d) Drawing holder type TZST

Floor stand with 6 kg casting base and extendable tripod up to 190 cm in height)

The large mobile version for applications, e.g. on a machine tool or for presentations etc.



Type TZST

Tripod can be fixed with a handle at the desired height. Standard length of profile rail 100 cm (with trigger).

Rail can be vertically swivelled with the articulated head = space-saving position when not used (see fig.)

Double-sided profile rails for opposite work areas possible as a variation.

d) Drawing holder type TZST floor tripod extendable to 190 cm

Rail with trigger, KSK clamp holder, extendable tripod and 6 kg base

<i>Article number</i>	<i>Rail length</i>	<i>Price CHF (per pc.) (Complete set)</i>
403 001	100 cm	313.00
403 002	100 cm (Double rail)	351.00

Technical information and details

Attachment possibilities for wall rails

Types TZW and TZWA (please indicate with order)


1. Neutral rail without drill holes and attachment material
2. Rail with drill holes and screws / dowel set (surcharge see price list)
3. Rail with double-sided assembly tape for smooth, adhesive substrates (surcharge see price list)

Special information

1. All rail types are open on both ends, sheets with excess dimensions may project the rail length by several cm without any problems.
2. Thus, wall rails may also be supplemented or extended without restrictions.
3. Special dimensions and models available on request.

Subject to technical modifications at any time.

illustration of central "trigger"



Function as described under type TZWA. Is used for type TZWA wall rails and for all free-standing models, i.e. types TZA, TZSTT and TZST.

Term "Wall rail" and "Profile rail"



Cross section of the **wall rail** for wall attachment



Cross section of the **sliding profile rail** for free-standing models with bead for top KSK rail clamp holder (rail / standing pipe connection)

Terms of delivery:

- Prices in CHF for delivery from CH-5732 Zetzwil, plus packaging, postage/freight and applicable VAT
- For orders with a value less than CHF 30.00, a minimum quantity surcharge of CHF 5.00 must be paid.
- Terms of payment: 30 days net

Subject to price and production changes